

Safety Data Sheet

According to Regulation EC No. 1907/2006

Instant Adhesive GP

Date of issue/Date of revision: 14.02.2023

en / EU - Version 2.0

1. Identification of the substance/preparation and of the company/undertaking**1.1 Identification of the substance or preparation:**

Instant Adhesive GP

REACH registered number(s): 01-2119527766-29-0033**CAS number:** 7085-85-0**Index number:** 607-236-00-9**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use of the substance/preparation: Adhesive / bonding compound

Instant Adhesive GP	2	20 g	2 -	10	mPa·s	(Art-Nr. 71006)
UFI: GTW7-Y7HF-KR0V-4CDN						
Instant Adhesive GP	20	20 g	20 -	40	mPa·s	(Art-Nr. 71000)
UFI: 4108-47FS-JR0R-C7JA						
Instant Adhesive GP	80	20 g	80 -	120	mPa·s	(Art-Nr. 71001)
UFI: 9XY7-M7SD-8R07-PVY8						
Instant Adhesive GP	90	20 g	90 -	120	mPa·s	(Art-Nr. 71004)
UFI: HVY7-472Y-XR0R-1JD6						
Instant Adhesive GP	1400	20 g	1400 -	1600	mPa·s	(Art-Nr. 71003)
UFI: 2SY7-M7DK-NR08-C6T4						
Instant Adhesive GP	150° C	20 g	2700 -	3300	mPa·s	(Art-Nr. 71008)
UFI: EPY7-37Q6-AR0R-QV72						

1.3 Company/undertaking identification

Company name: Gößl + Pfaff GmbH
Street: Münchener Str. 13
Place: 85123 Karlskron/Brautlach
Telephone: +49 (0) 8450 / 932-0
Fax.: +49 (0) 8450 / 932-13
Contact person: Management: Mr. Gößl, Mr. Pfaff
E-Mail: info@goessl-pfaff.de
Internet: www.goessl-pfaff.de
Responsible Department: Management

1.4 Emergency telephone**Emergency CONTACT (24-Hour-Number):** GBK GmbH +49 (0) 6132-84463**2. Hazards identification****2.1. Classification of the substance or mixture****Classification under CLP**

STOT SE 3: H335; -: EUH202; Eye Irrit. 2: H319; Skin Irrit. 2: H315

Most important adverse effects:

May cause respiratory irritation. Cyanoacrylate. Danger. Bonds skin and eyes in seconds.
 Keep out of the reach of children. Causes serious eye irritation. Causes skin irritation.

2.2. Label elements**Hazard statements:**

H315; Causes skin irritation.
 H319; Causes serious eye irritation.
 H335; May cause respiratory irritation.
 EUH202: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

Safety Data Sheet

According to Regulation EC No. 1907/2006

Instant Adhesive GP

Date of issue/Date of revision: 14.02.2023

en / EU - Version 2.0

Hazard pictograms:**Signal word:** Warning**Precautionary statements**

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P271: Use only outdoors or in a well-ventilated area.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTRE or doctor if you feel unwell.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

2.3 Other hazards**PBT:** This product is not identified as a PBT/vPvB substance.

3. Composition/information on ingredients

3.2 Mixtures**Hazardous ingredients:**

ETHYL-2-CYANOACRYLATE - REACH registered number(s): 01-2119527766-29-0001

EINECS	CAS	PBT / WEL	CLP CLASSIFICATION	Percent
230-391-5	7085-85-0	-	Eye Irrit. 2; H319, STOT SE 3; H335; Skin Irrit. 2; H315	70 – 90 %

4. First aid measures

4.1 Description of first aid measures**Skin contact:**

Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact:

Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion:

Wash out mouth with water.

Consult a doctor.

Inhalation:

Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed**Skin contact:**

There may be irritation and redness at the site of contact.

Eye contact:

There may be pain and redness. The eyes may water profusely.

Ingestion:

There may be soreness and redness of the mouth and throat.

Inhalation:

There may be irritation of the throat with a feeling of tightness in the chest.

Exposure may cause coughing or wheezing.

Delayed / immediate effects:

Immediate effects can be expected after short-term exposure.

Safety Data Sheet

According to Regulation EC No. 1907/2006

Instant Adhesive GP

Date of issue/Date of revision: 14.02.2023

en / EU - Version 2.0

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment:

Eye bathing equipment should be available on the premises.

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions:

Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Refer to section 8 of SDS.

7. Handling and storage

7.1. Precautions for safe handling

Handling requirements:

Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

No data available.

8. Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ETHYL-2-CYANOACRYLATE

Workplace exposure limits:

State	8 hour TWA		Respirable dust:	
	8 hour TWA	15 min. STEL	8 hour TWA	15 min STEL
UK	-	1,5 mg/m ³	-	-

Safety Data Sheet

According to Regulation EC No. 1907/2006

Instant Adhesive GP

Date of issue/Date of revision: 14.02.2023

en / EU - Version 2.0

DNEL/PNEC Values:

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:

Ensure there is sufficient ventilation of the area.

Respiratory protection:

Self-contained breathing apparatus must be available in case of emergency.

Hand protection:

Protective gloves.

Eye protection:

Safety glasses. Ensure eye bath is to hand.

Skin protection:

Protective clothing.

9. Physical and chemical properties

9.1. Information of basic physical and chemical properties

State:	Liquid
Boiling point/range:	150 °C
Flashpoint:	87 °C
pH:	None available

9.2 Other information

No data available.

10. Stability and reactivity

10.1. Reactivity

Stable under recommended transport or storage conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Materials to avoid:

Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Safety Data Sheet

According to Regulation EC No. 1907/2006

Instant Adhesive GP

Date of issue/Date of revision: 14.02.2023

en / EU - Version 2.0

11. Toxicological information

11.1. Angaben zu toxikologischen Wirkungen

Gefährliche Bestandteile:

ETHYL-2-CYANACRYLAT

ORL	RAT	LD50	>5	ml/kg
-----	-----	------	----	-------

Relevant hazards for product

Hazard	Route	Basis
STOT-single exposure	INH	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:

There may be irritation and redness at the site of contact.

Eye contact:

There may be irritation and redness. The eyes may water profusely.

Ingestion:

There may be soreness and redness of the mouth and throat.

Inhalation:

There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects:

Immediate effects can be expected after short-term exposure.

12. Ecological information

12.1. Toxicity

Ecotoxicity values:

No data available.

12.2. Persistence and degradability

Biodegradable.

12.3. Bioaccumulative potential

No bioaccumulation potential.

12.4. Mobility in soil

Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Negligible ecotoxicity.

13. Disposal considerations

13.1. Waste treatment methods

Disposal operations:

Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Transport information

Transport class: This product does not require a classification for transport.

Safety Data Sheet
According to Regulation EC No. 1907/2006

Instant Adhesive GP

Date of issue/Date of revision: 14.02.2023

en / EU - Version 2.0

15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Specific regulations:

Not applicable.

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

16. Other information

Replaces Version 1.0 from 30.06.2022

Other information

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830.

Phrases used in s.2 and s.3:

EUH202: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. By using suitable industrial safety precautions, it is paramount to make sure that the relevant exposition measures at the work place are adhered to, and negative health effects are avoided.